

Accessories

Controls

B1029

Wireless thermostat

Wireless wall control with black and white display (wireless to Unico and equipped with OS Smart System app), complete with receiver to be installed on Unico. Battery operated. Equipped with temperature measurement. Please note: when paired with Unico Vertical-NK models, it is not compatible with the VMC B1031 kit.

Compatible with:

Unico Evo-F [PVA]
Unico Evo [PVAN/EVAN]

Unico Evo [EVANX]
Unico Pro [EVAN]

Unico Vertical e Vertical-NK [EVAN]
Unico Vertical e Vertical-NK [EVANX]



B1030

IAQ wireless thermostat

Wireless colour wall control (wireless to Unico and equipped with OS Smart System app), complete with receiver to be installed on Unico. Mains powered, can be installed on 503 electrical box and on round box. Equipped with temperature, humidity and internal air quality measurement (where the VMC B1031 kit is not installed, the IAQ and humidity functions of the B1030 control are read-only). Please note: mandatory control when paired with Unico Vertical-NK models with VMC B1031 kit.

Compatible with:

Unico Evo-F [PVA]
Unico Evo [PVAN/EVAN]

Unico Evo [EVANX]
Unico Pro [EVAN]

Unico Vertical e Vertical-NK [EVAN]
Unico Vertical e Vertical-NK [EVANX]



B1128

Wireless relay

To wirelessly control other generators or external electrical heating elements, based on the external temperature and the difference between the internal temperature and the set-point temperature.

Compatible with:

Unico Evo-F [PVA]
Unico Evo [PVAN/EVAN]

Unico Evo [EVANX]
Unico Pro [EVAN]

Unico Vertical e Vertical-NK [EVAN]
Unico Vertical e Vertical-NK [EVANX]



HRV

NEW **B1031**

HRV kit for Unico Vertical-NK integration

Crossflow enthalpic heat recovery unit for air exchange, ducted extraction and delivery through Unico Vertical-NK delivery grille. Maximum flow rate at 100 Pa equal to 103 m³/h. Can be controlled in combination with Unico Vertical-NK from the Wireless IAQ control (code B1030).



Compatible with:

Unico Vertical-NK [EVAN]
Unico Vertical-NK [EVANX]

NEW **B0998**

Kit for 160mm grille for CMV installation

Kit for holes with diameter 160 mm for CMV (code B1031) equipped with a pair of folding grilles d. 160mm, a pair of internal flanges d. 160mm, a pair of universal PP sheets.



Compatible with:

Unico Vertical-NK [EVAN]
Unico Vertical-NK [EVANX]

Built-in

NEW **B1032**

Kit for recessed wall installation Unico Vertical-NK

Metal panel with delivery and extraction grille that can be used for built-in installations of Unico Vertical-NK.



Compatible with:

Unico Vertical-NK [EVAN]
Unico Vertical-NK [EVANX]

NEW **B1033**

Kit for recessed wall installation of Unico Vertical-NK e HRV

Metal panel with delivery and extraction grille that can be used for built-in installations of Unico Vertical-NK combined with CMV kit (code B1031).



Compatible with:

Unico Vertical-NK [EVAN]
Unico Vertical-NK [EVANX]

Other

B0984 Kit for preparing holes with a diameter of 200 mm

Kit for preparing holes with a diameter of 200 mm equipped with a pair of 200mm folding grids, a pair of 200mm internal flanges, a pair of universal PP sheets, templates for each compatible model (there are no support brackets, which are included in the machine packaging).



Compatible with:

Unico Evo-F [PVA]
Unico Evo [PVAN/EVAN]
Unico Evo [EVANX]

Unico Pro [EVAN]
Unico Vertical e Vertical-NK [EVAN]
Unico Vertical e Vertical-NK [EVANX]

Unico Twin [RFA]

B0564 Grille kit diameter 160 mm

Pair of inside flanges Ø 160 mm, pair of outside folding grilles Ø 160 mm.



Compatible with:

Unico Evo-F [PVA]
Unico Evo [PVAN/EVAN]
Unico Evo [EVANX]

Unico Pro [EVAN]
Unico Easy [S2]
Unico Twin [RFA]

B0620 Heating cable

To prevent the formation of ice in the condensation trap for drainage (heating cable already standard on Unico Vertical).



Compatible with:

Unico Evo [PVAN/EVAN]
Unico Evo [EVANX]

Unico Pro [EVAN]
Unico Twin [RFA]

B0753 200 mm rain cover kit

To be installed on the outside wall to protect the holes (for installations in extreme weather conditions). Designed for Ø 200 mm grilles. This product is available by special order only. The packaging contains 2 elements (1 for each hole).



Compatible with:

Unico Evo-F [PVA]
Unico Evo [PVAN/EVAN]
Unico Evo [EVANX]

Unico Pro [EVAN]
Unico Easy [S2]
Unico Twin [RFA]