



Compact and multifunctional for air treatment all year round



### Much more than dehumidifiers

### New Italian design

Olimpia Splendid upgrades the range of Aquaria dehumidifiers, proposing six new models in R290 designed by Alessio Abdolahian, already designer of the Dolceclima Air Pro portable air conditioners, awarded at the most recent Good Design Award, inspiring the company to create a distinctive family line. The new aesthetic is distinguished by its clean and contemporary style and the capacity to enclose, in extremely compact forms, superior technology.

#### **Purification with HEPA filters**

On the air treatment front, the range is distinguished by increasing filtration capacity, and features a filtering capacity starting from the pre-filter and the activated carbon filter, right up to being equipped with HEPA filters in the most powerful models. The new Aquaria dehumidifiers go beyond their primary function and are positioned as solutions for complete air treatment, all year round.

#### Latest-generation commands

All new models are equipped with precision control, thanks to the digital touch control panel. In addition, in the top-of-the-range models, the integrated wi-fi makes it possible to manage the dehumidifier functions even from your smartphone, by downloading the dedicated app.

## **Dehumidifiers range**



Skyrunner

## **AQUARIA S1 10 P**

## The compact 10-litre dehumidifier

Cod. 02060









#### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



#### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



#### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.

#### **FEATURES**

Dehumidification capacity: 10 I / 24h For rooms up to 45 m³
Tank capacity: 2I
Noise level 40 dB
Temperature and humidity indicator
1-24h timer
Semi-transparent removable tank
Full tank alarm
Speed: low/medium/high

Dry function Automatic defrosting device Wheels for transportation



## **AQUARIA S1 12 P**

### Skyrunner

## The compact 12-litre dehumidifier

#### Cod. 02061









#### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



#### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



#### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.

#### **FEATURES**

Dehumidification capacity: 12 I / 24h For rooms up to 55 m³
Tank capacity: 2I
Noise level 40 dB
Temperature and humidity indicator 1-24h timer
Semi-transparent removable tank
Full tank alarm
Speed: low/medium/high
Dry function
Automatic defrosting device

Wheels for transportation



Skyrunner

## **AQUARIA S1 14 P**

### The double filter 14-litre dehumidifier

Cod. 02062









#### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



#### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



#### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.

#### **FEATURES**

Dehumidification capacity: 14 I / 24h For rooms up to 65 m³
Noise level 40 dB
Temperature and humidity indicator 1-24h timer
Tank capacity: 2I
Semi-transparent removable tank
Speed: low/medium/high
Dry function
Automatic defrosting device
Wheels for transportation
Full tank alarm



# **AQUARIA S1 16 P**

### Skyrunner

### The double filter 16-litre dehumidifier

#### Cod. 02063









#### **DOUBLE FILTRATION**

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



#### **ERGONOMIC DESIGN**

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



#### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.

#### **FEATURES**

Dehumidification capacity: 16 I / 24h For rooms up to 75 m³ Noise level 40 dB Temperature and humidity indicator 1-24h timer Tank capacity: 2l Semi-transparent removable tank Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation Full tank alarm



## **AQUARIA ST 20 P**

## Skyrunner

## The most complete 20-litre dehumidifier

Cod. 02064









#### TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter with an efficiency of 99.9% on particles up to 0.3 microns



#### **MOTORIZED FLAPS**

Enjoy the best comfort experience thanks to the air flow management function.



#### **TOUCH DISPLAY**

Touch control panel with a clean look, allowing precise



#### **INTEGRATED WI-FI**

By downloading the app, all functions can be controlled via smartphone, even away from home.

#### **FEATURES**

Dehumidification capacity: 20I / 24h

For rooms up to 90 m<sup>3</sup>

Tank capacity: 51

Noise level 38 dB

Motorised flap

Temperature and humidity indicator

1-24h timer

Semi-transparent removable tank with handle Speed: low/medium/high

Dry function

Automatic defrosting device

Child lock

Wheels for transportation

Full tank alarm



## **AQUARIA S1 24 P**

### Skyrunner

### The most complete 24-litre dehumidifier

#### Cod. 02065









#### TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter with an efficiency of 99.9% on particles up to 0.3 microns



#### **MOTORIZED FLAPS**

Enjoy the best comfort experience thanks to the air flow management function.



#### **TOUCH DISPLAY**

Touch control panel with a clean look, allowing precise



#### **INTEGRATED WI-FI**

By downloading the app, all functions can be controlled via smartphone, even away from home.



Dehumidification capacity: 24I / 24h

For rooms up to 100 m<sup>3</sup>

Tank capacity: 51

Noise level 38 dB

Motorised flap

Temperature and humidity indicator

1-24h timer

Semi-transparent removable tank with handle Speed: low/medium/high

Dry function

Automatic defrosting device

Child lock

Wheels for transportation

Full tank alarm



## **SECCOPROF**

## Professional dehumidifiers for large spaces

Cod. 02106

Cod. 02107





#### **SUPER POWER**

Seccoprof is able to absorb up to 40 litres of excess humidity per day, thus allowing the dehumidification of large spaces.



#### **NON-STOP OPERATING**

Continuous condensate drain for non-stop dehumidification, without needing to remove the tank.



#### **WARM GAS DEFROSTING**

Guarantees constant operation of the compressor, avoiding frequent activation and deactivation periods, and also allows operation at temperatures close to 0°C.



#### **DIGITAL CONTROL**

The control panel allows accurate settings and timely control of the air temperature and humidity.

#### **FEATURES**

Dehumidification capacity: 30I / 24h and 40I / 24h

For rooms up to 150/200 m<sup>3</sup>

Tank capacity: 81

Noise level 52 dB

Temperature and humidity indicator

1-24h timer

Removable tank with water level visualisation

2 fan speed levels

Dry and Fan function

Automatic defrosting device

Wheels for transportation

Full tank alarm

2 filtering levels (pre-filter / activated carbon filter)



## **Technical specifications dehumidifiers**

PRELIMINARY DATA		AQUARIA S1 10 P	AQUARIA S1 12 P	AQUARIA S1 14 P	AQUARIA ST 16 P	AQUARIA S1 20 P	AQUARIA S1 24 P
PRODUCT CODE		02060	02061	02062	02063	02064	02065
EAN CODE		8021183020601	8021183020618	8021183020625	8021183020632	8021183020649	8021183020656
Dehumidification capacity (2)	I/24h	10	12	14	16	20	24
Power absorption in dehumidification mode (1)	W	170	170	190	190	285	285
Nominal absorption in dehumidification mode (1)	А	0,86	0,86	0,98	0,98	1,0	1,0
Max. power absorption in dehumidification mode (2)	W	235	235	250	250	370	370
Max. absorption in dehumidification mode (2)	А	1,24	1,24	1,32	1,32	2,0	2,0
Max. power absorption in dehumidification mode (U.L.U.)	W	260	260	295	295	420	420
Protection level		IPX0	IPX0	IPX0	IPX0	IPX0	IPX0
Fan speed	nr	3	3	3	3	3	3
Tank capacity	I	2	2	2	2	5	5
Air volume (max)	m³/h	120	120	120	120	180	180
Product dimensions (W x H x D with wheels)	mm	294 x 488 x 219	294 x 488 x 219	294 x 512 x 219	294 x 512 x 219	367 x 610 x 274	367 x 610 x 274
Gift box dimensions (W x H x D)	mm	349 x 530 x 273	349 x 530 x 273	349 x 560 x 273	349 x 560 x 273	421 x 664 x 335	421 x 664 x 335
Noise level	dB(A)	40	40	40	40	38	38
Weight (without packaging)	kg	11,0	11,0	11,6	11,6	15,0	15,0
Weight (with packaging)	kg	11,8	11,8	12,5	12,5	16,2	16,2
Refrigerant gas		R290	R290	R290	R290	R290	R290
GWP (Global Warming Potential)		3	3	3	3	3	3
Refrigerant gas charge	kg	0,04	0,04	0,065	0,065	0,038	0,038
Minimum floor area for installation, use and storage	m²	4	4	4	4	4	4
Plug		EU	EU	EU	EU	EU	EU
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Conformity mark		CE	CE	CE	CE	CE	CE
Antidust filter		√	√	√	V	√	V
Carbon filter		√	√	√	V	√	√
HEPA filter		-	-	-	-	√	√
Continuous operation with hose		√	√	√	√	√	√
Humidity level power settings		√	√	√	√	√	√
Indoor humidity visualizer		√	√	√	√	√	√
Indoor temperature visualizer		√	√	√	√	-	-
Full tank alarm		√	√	√	√	√	√
Child lock		-	-	-	-	√	√
Oscillation		-	-	-	-	√	√
Laundry function		√	√	√	√	√	√
Timer		√	√	√	√	√	√
Defrosting device		√	√	√	√	√	√
Integrated wi-fi		-	-	-	-	V	V

		SECCOPROF 30 P	SECCOPROF 40 P	
PRODUCT CODE		02106	02107	
EAN CODE		8021183021066	8021183021073	
Dehumidification capacity (1)	I/24h	30	40	
Power absorption in dehumidification mode (1)	W	560	650	
Max. power absorption in dehumidification mode (U.L.U.)	W	620	750	
Fan speed	nr	2	2	
Tank capacity	I	8	8	
Air volume (max)	m³/h	240	240	
Sound Pressure	dB(A)	52	52	
Dimensions (W x H x D)	mm	312 x 453 x 635	312 x 453 x 635	
Gift box dimensions (W x H x D)	mm	356 x 492 x 688	356 x 492 x 688	
Weight (without packaging)	kg	24,9	27,2	
Weight (with packaging)	kg	26,8	29,0	
Refrigerant gas / Charge (kg)		R290 / 0,083	R290 / 0,096	
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	
Plug		Schuko	Schuko	
Power supply min - max	V	220-240	220-240	
Antidust filter		√	√	
Carbon filter		√	√	
HEPA filter		-	-	
Continuous operation with hose		√	√	
Digital control		√	√	
Humidity level power settings		√	√	
LCD Display		√	√	
Indoor humidity visualizer		√	√	
ndoor temperature visualizer		√	√	
Full tank alarm		√	√	
Defrosting device		√	√	
Mot gas defrosting system		√	√	
Handle		√	√	
Wheels		√	√	
Tank with push-pull locking		-	-	
Tank with Handle		-	-	
Visible water level		√	√	